



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|-----------------------|---------------------|------------------|
| 09/621,870 | 07/21/2000 | Siegfried Hildebrandt | US 4037 | 4760 |

7590

04/11/2002

Paul J Vincent
Schuster & Partner
Wiederholdstr.10
Stuttgart,
GERMANY

EXAMINER

RUDDY, DAVID M

ART UNIT

PAPER NUMBER

3739

DATE MAILED: 04/11/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/621,870

Applicant(s)

HILTEBRANDT, SIEGFRIED

Examiner

David M Ruddy

Art Unit

3739

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 October 2001.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 14, 16-24 and 26-28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 14, 16-24 and 26-28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) do not apply to the examination of this application as the application being examined was not (1) filed on or after November 29, 2000, or (2) voluntarily published under 35 U.S.C. 122(b). Therefore, this application is examined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Claims 14, 16, 17, 18, 19, 20, 24, 26, 27, 28, are rejected under 35 U.S.C. 102(e) as being anticipated by Krause et al (patent #6,053,922). Krause et al. disclose a surgical instrument for the removal of tissue (as seen in figure 12) comprising an outer tube (104 figure 2 and 12) having an opening in the distal end for accepting tissue and an inner tube (10) disposed within the outer tube having a rigid proximal region (14) for transmitting forces to the distal region of the tube (15). As seen in the center of drawing figure 1 there is disclosed a flexible intermediate region of the inner tube. This flexible region includes a slit (32) in the wall of the tube. As seen in figures 1 and 6a-6k, the slit winds in a helical path about the longitudinal axis of the inner tube and meanders back and forth with respect to the helical path. The meandering slit defines alternating teeth

Art Unit: 3739

and recesses (best seen in figure 8-10). The teeth have a shape which prohibits the axial slippage of the teeth out of the recesses.

Krause et al. disclose the limitations of claim 16 in figures 12 and 2. Krause et al. disclose the limitations of claims 17, 18, 26, and 27 in column 5, lines 13-20 and line 57. Krause et al. disclose the limitations of claim 19 in column 5, lines 50-65. Krause et al. disclose the limitations of claim 20 in figures 12.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 21-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Krause et al. in view of Trott (patent #4,646,738). With reference to the rejections above Krause et al. disclose all that is claimed the specific spatial relationships between the inner and outer tubular flexible regions as recited in claims 21-23. Krause et al. sets forth the use of the inner flexible torqueing device for a broad list of applications, one of which is bone tissue removal via reaming.

The reference of Trott discloses another area of surgical rotation tissue removing via an arthroscopic rotating burr head as seen in figure 5-6. Figure 3 sets forth the old and well known use of a burr head arthroscopic tool. The spatial relationships of the

Art Unit: 3739

inner and outer tubes here meet the spatial relationships set forth in claims 21-23. It would have been obvious to one having ordinary skill in the art to use the arthroscopic spatial relationships disclosed by Trott for the flexible torque transmitting shaft design of Krause et al. in order to further expand the possible areas of use that can benefit from the flexible transmission of rotation.

Conclusion

Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 3739

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David M Ruddy whose telephone number is (703) 308-3595. The examiner can normally be reached on Mon-Fri 8:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak can be reached on (703) 308-0994. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 746-3376 for regular communications and (703) 746-3376 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1148.



DR
April 8, 2002

LINDA C. M. DVORAK
SUPERVISORY PATENT EXAMINER
GROUP 3700